

Swap easy. Ride easy.

----INTRODUCING ----

ACTIVAE

Honda. Who Else!?





Driving Zero Boundaries: Honda's Path to a

Sustainable Future

We at Honda are committed to achieving zero environmental impact by 2050 through our Triple Action to ZERO initiative: carbon neutrality, clean energy, and resource circulation. We are advancing global electrification, enhancing resource recycling, and leveraging 100% carbon-free energy. By implementing Life Cycle Assessment (LCA), our goal is to reach net zero CO2 emissions and establish carbon-neutral operations worldwide.





Electrify up your ride with the all-new Activa e:, where cutting-edge design meets dynamic electric performance. With innovative Honda e: SWAP Technology, you can swap batteries within a minute and keep moving, no matter where the road takes you.

Bold, and eco-friendly, the iconic Activa e: is built for the future.

The Activa e: is more than just a ride-it's a revolution.

Electrify Your Dreams



Styling

Redefine your style with sleek, modern sophistication.

Sophistication redefined

A design that captivates at every glance.



Stylish LED lighting
Enhancing style while ensuring safety in low visibility.



Smart rear design Energy-efficient LEDs paired with a strong and sturdy grab-rail.



Streamlined elegance*

Clean edges and refined design for a polished finish along with body colour mirrors.

*Body colour mirrors are part of optional accessories.



Diamond-cut alloys

Premium style meets a smoother, more refined ride (for both rear and front).



Technology

Seamless innovation for modern mobility.



Swap easy. Ride easy.







- » Swap within a minute at your nearest Honda e: SWAP station for fully charged batteries.
- » No worries about charging the battery, just swap & ride in style.





» Honda e: SWAP takes care of battery maintenance, so you don't have to.



Activa e: Honda RoadSync Duo® App Stay Connected, Ride Effortlessly

The Activa e: Honda RoadSync Duo® App unites your smartphone and Activa e: for a seamlessly connected ride.

- Navigate*
 Easily find your way with reliable navigation.
- Linitiate Calls*
 Enjoy the seamless connectivity on the go, all the while your full focus stays on the ride.
- Control Music*

 Play and manage your music effortlessly at your fingertips.



- Swapping Stations
 Locate your nearest
 e: SWAP Stations.
- Reminders*
 Get maintenance
 reminders & vehicle
 diagnostics.

Smart Key - Unlock in style

Powered by H-Smart technology, the Honda Smart Key unlocks a world of convenience with features designed to enhance your Activa e: experience.



Smart Find

Locate your Activa e: in parking lots or low-light conditions with the answer back feature.

Smart Unlock

Skip fumbling for your keys- the Honda Smart Key makes unlocking seamless.

Smart Safe

Your Activa e: stays secure, even when you're not around.

Smart Start

Start your Activa e: without taking the Smart Key out of your pocket.

In-Vehicle Infotainment

Smart, Clear, and Connected Riding Experience

- » 17.78cm (7") Dynamic TFT display for sharp, clear visuals*.
- » Honda RoadSync Duo for seamless mobile integration*.
- » All essential information at a glance.
- » Day & Night modes for optimal clarity.
- » Control everything with easy toggles.

Riding Modes

A mode for every mood




Econ Mode:

Maximizes efficiency by reducing power, softening acceleration, and extending range for a greener ride.

Standard Mode:

Balances power and efficiency for smooth acceleration and everyday comfort.



Sports Mode:

Enhances performance with increased power, sharper acceleration, and higher speed for a thrilling ride.



^{*} This feature is available in the Activa e: Honda RoadSync Duo® variant only



Comfort & Convenience

Effortless Comfort, Unmatched Convenience.



Motor Excellence for Power Performance

- » 6 kW powerful motor that hits 80 km/h efficiently.
- » Smooth & Quick acceleration for effortless rides.

Engineered for confident and comfortable rides

Reverse with ease. Enables smooth backward movement for effortless parking and manoeuvring in tight spaces.





Twin-fork suspension for smooth, confident rides.

Disc brake provides control and confidence during quick stops.





Integrated frame and power unit Exclusively designed for swappable battery to enhance structure, stability, and rigidity of vehicle.

Dual Pockets with 15W USB-C Port Enjoy your ride. It provides quick charging to your smartphone, power bank, earphones on the go.






Stylish front fender and cowls
Aerodynamically designed eliminating
pressure build up and contributes to
nimble handling.

Stunning Colours

Choose the shade that complements your vibe.



Pearl Shallow Blue







Pearl Serenity Blue



Pearl Igneous Black



Pearl Misty White

Redefining excellence in Service & Maintenance.



Get 3 FREE services in the first year.



3-years / 50000 kms warranty, whichever comes first

TECHNICAL SPECIFICATIONS#

Performance					
		Specifications	Activa e: Honda RoadSync Duo®	Activa e:	
Performance		Range (km)	102*	102*	
Max Tirrjue (Nm)		Top Speed (km/h)	80	80	
Gradeability (Degree) 13	Performance	0-60 km/h acc. (sec)	7.3	7.3	
Frame Frame Type		Max Torque (Nm)	22*	22*	
Frame Whool Type Diamond Cut Alloy Black Alloy Frant Yee Size 90/90-12 90/90-12 90/90-12 Rear Tyre Size 110/80-12 110/80-12 110/80-12 Tyre Type Tubeless Tubeless Front Brake Type and Size Disc-10 mm Disc-100 mm Place Brake Type and Size Drum-130 mm Drum-130 mm Foor Suspension 3 Step Adjustable 5 Sping Loaded Hydraulic Hr.L Glove Box Capacity (L) 0.5 0.5 Longin X Width X Helight (rmn) 1834×700xt125* 1864×700xt125* Wheelbase (mm) 1310 1310 Ground Clearance (mm) 171 171 Seat Length (rmn) 675 675 Korb Weight (kg) 11B 11B Motor Matirum Power/Peak Power (kW) 0° 6° Battery System Swappable Swappable Battery Capacity 1.5kWh x 2 1.5kWh x 2 Lighting LED LED Lighting LED LED Lighting		Gradeability (Degree)	13	13	
Front Tyre Size 90/90-12 90/90-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 110/80-12 3 Step Adjustable Spring Loaded Hydraulic Spring Loaded Hydraulic Phydraulic Spring Loaded Hydraulic Phydraulic Spring Loaded Hydraulic Phydraulic Spring Loaded Hydraulic Phydraulic Phydra		Frame Type	Under bone	Under bone	
Frame Rear Tyre Size 110/80-12 Tuboless Tuboless Front Brake Type and Size Disc-160 mm Disc-160 mm Front Buspension Telescopio Telescopio Syring Loaded Hydraulic Telescopio Syring Loaded Hydraulic RAL Glove Box Capacity (L) 0.5 0.5 Longth x Width x Holght (mm) 1854x700x1125* 1854x700x1125* Wheelbase (mm) 1310 1310 1310 Ground Clearance (mm) 1771 171 171 Kerb Weight (kg) 119 118 Motor Motor Widter Type PMSM PMSM Battery Systom Swappable Swappable Battery Type Luthium-ion Luthium-ion Battery Systom Swappable Swappable Battery Type LED LED Battery Type Luthium-ion Luthium-ion Battery Systom Swappable Swappable Battery Systom Swappable Swappable Battery Systom Swappable LED Lighting LED LED <t< th=""><th></th><th>Wheel Type</th><th>Diamond Cut Alloy</th><th>Black Alloy</th></t<>		Wheel Type	Diamond Cut Alloy	Black Alloy	
Frame Tyre Type Tubeless Tubeless Front Brake Type and Size Disc-160 mm Disc-160 mm Rear Brake Type and Size Drum-130 mm Drum-130 mm Front Suspension 3 Step Adjustable 3 Step Adjustable Rear Suspension 1 Be54x700x1125* 3 Step Adjustable Print Loaded Hydraulic Rear Brake Type and Size Drum Discover Discover Print Loaded Hydraulic Print Loaded Hydraulic Brake My Michael Hydrounic Spring Loaded Hydraulic Michael My Michael Hydrounic Spring Loaded Hydraulic My My Michael My Michael Hydrounic Spring Loaded Hydraulic Brake My My Michael Hydrounic Spring Loaded Hydrounic My My Michael My My My Michael My My My My Michael My		Front Tyre Size	90/90-12	90/90-12	
Front Brake Type and Size		Rear Tyre Size	110/80-12	110/80-12	
Front Brake Type and Size	Eromo	Tyre Type	Tubeless	Tubeless	
Pront Suspension	riaille	Front Brake Type and Size	Disc-160 mm	Disc-160 mm	
Rear Suspension		Rear Brake Type and Size	Drum-130 mm	Drum-130 mm	
Ril Glove Box Capacity (L)		Front Suspension	Telescopic	Telescopic	
Fi/L Clove Box Capacity (L) 0.5 0.5		Rear Suspension	•	•	
Langth x Width x Height (mm)		R/L Glove Box Capacity (L)			
Note Sear Length (mm) 1310 1310 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171	Dimensions				
Dimensions Seal Length (mm) 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 675 6			<i>,</i>		
		, ,			
Motor Kerb Weight (kg) 119 118 Motor Type PMSM PMSM Battery Battery System Swappable Swappable Battery System Lifhium-ion Lifhium-ion Battery Capacity 1.5kWh x 2 1.5kWh x 2 Battery Capacity 1.5kWh x 2 1.5kWh x 2 Headlights LED LED Lighting Headlights LED LED Lighting LED LED LED Headlights LED LED LED Lighting 3.00 LED LED Lighting 4.00 3.00 CO		` '			
Motor Motor Type PMSM PMSM PMSM PMSM PMSM PMSM PMSM PMSM					
Battery Battery System Swappable Swappable					
Battery Battery Type Lithium-ion Swappable Lithium-ion Battery Capacity Water & Dust Resistance I.P66 I.SkWh x 2 Headlights LED LED Lighting Taillights LED LED LED LED LED LED LED LED LED LED LED Processor Cortex-A72 Quadcore 1690MHz - Storage 32GB - PAM 6GB - Operating System Android Open Source OS (AOSP) - Resolution 800x480 pixels 800x480 pixels Screen Size and Type 17.76 cm (7") TFT 12.70 cm (6") TFT Resolution 800x480 pixels 800x480 pixels Bootons 1000 nits 1000 nits Aspect Ratio 15:9 15:9 Brightness 1000 nits 1000 nits Aspect Ratio 15:9 15:9 Connectivity App Honda RoadSync Duo" - Reverse Mode Yes Yes </th <th>Motor</th> <th></th> <th></th> <th></th>	Motor				
Battery Battery Capacity Lithium-ion Lithium-ion Battery Capacity 1.5kWh x 2 1.5kWh x 2 Water & Dust Resistance IP65 IP85 Headlights LED LED Lighting Taillights LED LED Indicators LED LED LED LED					
Battery	Battery		· ·	· ·	
Water & Dust Resistance					
Headlights					
Taillights	Lighting	Water & Dust Resistance	IP65		
Indicators					
Processor Cortex-A72 Quadcore 1690MHz - Storage 32GB -					
Storage	Doobbookd	Indicators	LED	LED	
Pashboard				-	
Dashboard Screen Size and Type				-	
Screen Size and Type				-	
Resolution			. ,		
Colours RGB 8bit (16M) RGB 8bit (16M)	Dasiiboard	Screen Size and Type	· ,		
Brightness 1000 nits 1000 nits			·	·	
Aspect Ratio 15:9 15:9			,		
Features Riding Modes 3 Modes (Econ, Standard, Sport)					
Connectivity App		Aspect Ratio	15:9	15:9	
Connectivity App Honda RoadSync Duo® - Reverse Mode Yes Yes Dasboard Auto Brightness Yes Yes Topple Alert Yes - Maintenance Alert Yes - Call and Music Control Yes - Live Tracking Yes - Side Stand Inhibitor Yes - Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Colours Colours Colours Colours Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black	Features	Riding Modes			
Reverse Mode Yes Yes		Connectivity App			
Dasboard Auto Brightness Yes Yes			<u> </u>		
Topple Alert Yes					
Features Maintenance Alert Yes - Call and Music Control Yes - Navigation Yes - Live Tracking Yes - OTA Updates Yes - Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Colours Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
Features Call and Music Control Yes -		• •			
Features Navigation Live Tracking Yes - OTA Updates Yes - Side Stand Inhibitor Yes Key Smart Key Smart Key Smart Key Smart Find Yes Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Yes					
Live Tracking Yes - OTA Updates Yes - Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Colours Colours Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
OTA Updates Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Smart Start Yes Smart Start Yes Yes Smart Unlock Yes Yes Yes Yes Matt Foggy Silver Metallic, Pearl Igneous Black					
Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Smart Start Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Yes Yes Smart Unlock Yes Yes Yes Matt Foggy Silver Metallic, Pearl Igneous Black					
Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Colours Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black		•			
Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Colours Colou					
Smart Safe Smart Start Yes Yes Smart Unlock Yes Yes Colours Colours Colours Matt Foggy Silver Metallic, Pearl Igneous Black			•	•	
Smart Start Smart Unlock Yes Yes Colours Colours Colours Available Colours Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
Colours Colours Available Colours Available Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
Colours Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
Matt Foggy Silver Metallic, Pearl Igneous Black					
	Colours				
varianty 3-years/ 50000 kms (whichever comes first)	Morrost				
	warranty	venicle Warranty	verlicle vvarianty 5-years/ 50000 kms (whichever comes first)		

^{*}Denotes the Parameter Values based on Honda's Internal Testing Results.

^{*}The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice.

ACTIVAE

Honda. Who Else!?




Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050, India

For more details: Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda.hmsi.in

Follow us at:





honda2wheelerin



